

Pain Svc 10yo 34 kg ot E 1 week hx of pain
 03/02/98 to @ ANKLE AREA ^{REMAINING} n 13 Days s/p spinal fx
 195 of @ fibria. Pain characterized as burning vs
 throbbing vs pins + needles. At @ sites pain is located in
 @ heel / ankle / and lower ant. leg. Pain constant
 i frequent exacerbations while awake @ ~ 20 intervals
 lasting 5-20 minutes. Pain exacerbated i palpation
 of 1st + 2nd digits of @ foot, esp. tips, but little pain
 @ web space or medial / inferior surface of foot. Pain
 i relieved i distractions such as TV, phone, visitors.

Med: MS Contin $< \frac{20}{30}$

MS 3mg po prn

~~MS~~ Naproxen 375 po BID

ATWAD long po qHS

Coaxol

NKAA

PSH: TA @ 4yo } of course
 apply Sep 97

DMH: otherwise unremarkable

Investigations: ① Bone Scan clw fx pattern
 ② TLE Spine pulz
 ③ MAT today

Imp: Unusual pain c/o in otherwise healthy
 10yo child.

Differential diagnosis includes cellulitis, @, neuropathy
 but final cause not consistent.

Plan: Will reassess after MRI + spinal fluid obtained

— [Signature]
 3/2/98